Lexmark X950 Colour MFP Series

Powerful colour performance for your workgroup.

Lexmark X950 Series

Power up your office and increase productivity with the Lexmark X950 Series, featuring high-performance A3 colour functionality, flexible features, easy-to-use workflow solutions and advanced security.

Colour | Touch screen | Copy | Scan | Fax | Solutions

Duplex | SRA3 | Up to 55 ppm | Network

LEXMARK™

Lexmark X950 Series Key Features

Lexmark X950de colour MFP with optional 2,520-Sheet Tandem Tray Module, Booklet Finisher and 2,000-Sheet High Capacity Feeder.

Features to optimise your work

1) Intuitive colour touch screen

The extra large 25.9-cm (10.2-inch) colour touch screen allows you to operate your MFP with ease through intuitive navigation and easy access to workflow solutions and shortcuts.

2) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.

3) Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning, and is compatible with most printable image file formats.

4) Flexible input capacity

Choose the configuration that best fits your needs, up to a maximum of 5,140 sheets.

5) Exceptional media handling

Ultra-reliable paper feeding lets you load up to six different media types, including banner support up to 120 cm and weights up to 300 gsm.

6) Advanced finishing options

Easily create professional output in-house with flexible finishing options, including multi-position stapling, hole punch, expanded output stacking and booklet capability.

Lexmark X950 Series Overview

Outstanding Colour Output

Make a lasting impression on your customers and do more printing in-house with vibrant, professional-quality output on a wide variety of media. With the advanced technology of the X950 Series, you'll get high-performance SRA3 multifunction capability that produces consistent colour from the first page to the last.

- 1200 x 1200 print resolution for rich vibrant colours and crisp black text.
- PANTONE® calibration for consistent colour tones.
- Named Color Replacement for easy colour matching.
- Lexmark Color Care Technology to manage colour use and control costs.
- Create professional collateral materials ranging from saddle stitch booklets to folded brochures on media up to SRA3.

Productive and Intuitive

The Lexmark X950 Series combines high-performance printing, copying, scanning and faxing with time-saving workflow applications designed to boost your productivity.

- Print and copy at speeds up to 55 ppm black and 50 ppm colour, and scan at speeds up to 70 images per minute; time to first print as quick as 5.2 seconds.
- Extra large, easy to navigate 25.9 cm (10.2-inch) colour touch screen provides audible and tactile feedback to make completing tasks intuitive.
- Preloaded applications help you drive greater efficiency in your workflow.
- Scan to multiple destinations, including scan to email, scan to FTP, scan to fax, scan to network, scan to USB drive and more.
- Print Preview and Post Process Job Changes allow you to duplex, add finishing or select individual pages for printing.
- Advanced copy functions let you interrupt long print runs to make a quick copy or proof the first copy set before completing your copy job.

Built for Business

The Lexmark X950 Series features a robust print engine designed to handle the most demanding workloads with the advanced features and flexibility you need to run your business.

- Robust connectivity makes it easy to integrate into almost any network environment.
- Simplify device monitoring and administration through the embedded web server, Lexmark Universal Print Driver and Lexmark MarkVision Enterprise.
- High-capacity hard disk, 1.2 GHz processor and up to 2GB RAM.
- Inner Tray 2 is standard, allowing you to separate print, copy or fax output into two bins.
- Choose from multiple input options to expand capacity up to 5,140 sheets.
- Easy-to-replace aftermarket cartridges provide yields of up to 32,000[2] pages black and up to 22,000[2] pages colour.



True. Image. Always.

Lexmark is dedicated to designing and manufacturing products that deliver exceptional quality and reliability. Maximise the return on your investment, optimise the performance of your Lexmark printing equipment and make a lasting impression by always insisting on Lexmark Genuine Supplies, Service and Parts. The X950 Series is backed by Lexmark's 1-Year Limited Warranty; extended warranty plans are also available.

The right touch

The Lexmark e-Task colour touch screen is a key access point to your MFP. The extra large customisable 25.9 cm (10.2-inch) interface gives you the ability to preview thumbnails of documents prior to printing, as well as to change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Easy-to-use, intuitive navigation provides fast access to the functions, shortcuts and workflows you use most. New interactive sensory features provide both tactile and audible feedback, helping to guide you through each operation, confirming a touch has registered and indicating an action is transpiring.

Solutions

Save time and money through solutions

The Lexmark X950 Series features the Lexmark Embedded Solutions Framework, our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

The following solutions are preloaded on the X950 Series:

Forms and Favourites
Eliminate waste and inefficiencies associated with pre-printed forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.

Scan to Network
Scan a hardcopy document and route the image to one of 30 predefined personal or public shared network folders.

Change Language[3]
Easily switch the language displayed on the touch screen – 18 languages are supported.

The following are just a few examples of solutions available to you through Lexmark authorised partners and dealers, or through a Lexmark Professional Services engagement:

Scan to Network Premium
This enhanced version of Scan to Network offers advanced functionality to preview, modify, enhance and index scanned documents before routing them to a shared network folder.

Showroom
Display a customisable, scrolling slideshow on the colour touch screen to promote your business or products, or to communicate important messages to your customers or employees.

Card Copy
Save time and effort in copying identification cards, licences and insurance cards by automatically scanning, enlarging and printing both sides of a two-sided card on to one side of a sheet of paper.

Print Less. Save More.

[1] Source: InfoTrends/CapVentures., «Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service», August, 2008

Consistent colour, every time

Produce professional documents confidently in-house knowing that the named colours of your company's brand and logo will print accurately and consistently every time. Through Lexmark Named Colour Replacement, included standard with your device, users can enter specific colour values for easy colour matching, including PANTONE® Color and colours in the DIC Color Guide.

Easy device management

Manage your output environment effectively with Lexmark MarkVision Enterprise. This free browser-based software gives you complete visibility into your entire fleet of network printers and MFPs regardless of manufacturer. MarkVision Enterprise makes it easy for administrators to configure, track, view, troubleshoot and proactively manage your devices throughout their lifecycle, from the moment you connect them to the network until the day you retire them.

Protecting your information

From the data travelling through your network to the pages being printed, multilayered security features and built-in capabilities help you protect your devices, documents, data and network.

- Supports a variety of user authentication and authorisation controls.
- Card reader option allows users to authenticate with proximity or swipe cards.
- Advanced hard disk encryption protects sensitive data on the MFP's disk drive.
- Automatic, scheduled or manual disk wiping removes latent data.
- IPSec, SNMPv3 and 802.1x network security are supported.
- Security-audit logging tracks and identifies security risks.

Lexmark X950 Series Ordering Information

Lexmark X950de



Compatible on the complete X950 Series

Part #	Laser Toner/Print Cartridge
X950X2KG	X95x Black Extra High Yield Toner Cartridge
X950X2CG	X95x Cyan Extra High Yield Toner Cartridge
X950X2MG	X95x Magenta Extra High Yield Toner Cartridge
X950X2YG	X95x Yellow Extra High Yield Toner Cartridge
C950X71G	C950, X950/2/4 Photoconductor Unit 1-Pack
C950X73G	C950, X950/2/4 Photoconductor Unit 3-Pack
C950X76G	C950, X950/2/4 Waste Toner Bottle
25A0013	Staple Cartridges (3 pack)
21Z0357	Saddle Staple Cartridges (4 pack)

Part #	Memory Options
14F0245	256MB Flash Card

Part #	Application Solutions
22Z0186	X950, X952, X954 Card for IPDS
22Z0187	X950, X952, X954 Card for PRESCRIBE Emulation
22Z0185	X950, X952, X954 Forms and Bar Code Card
57X9000	Lexmark PrintCryption Card

Part #	Connectivity
27X0030	MarkNet N8250 802.11b/g/n Wireless Print Server
14F0042	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server
1021294	USB (2 Meter) Cable
14F0000	Parallel 1284-B Interface Card
1021231	Parallel (10') Cable
14F0100	RS-232C Serial Interface Card

Part #	User Replaceable Parts
40X7569	C950, X95x Fuser Maintenance Kit, 320K, 220-240V
40X7540	C950, X95x 160K Maintenance Kit
40X7530	X95x ADF Maintenance Kit

Available Models:
Lexmark X950de: Includes: Banner media support up to 120 cm and print speed up to 45 ppm, Part #22Z0092
Lexmark X952de: Includes: Banner media support up to 120 cm and print speed up to 50 ppm, Part #22Z0093
Lexmark X954de: Includes: Banner media support up to 120 cm, print speed up to 55 ppm and 2GB RAM standard, Part #22Z0094
Lexmark X950dhe: Includes: SRA3 media support, print speed up to 45 ppm and the 2,520-Sheet (A3/A4) Tandem Tray Module, Part #22Z0692

Eco-responsible printing

The X950 Series makes it easy for you to print responsibly. Features include duplex to save paper, Eco-Mode to reduce paper and toner consumption and a Sleep Button with hibernate mode to save energy. The X950 Series also helps you save energy through its instant warm-up fuser and specially designed toner, which fuses at a low temperature.

Lexmark X950 Series Ordering Information

Lexmark X950de

Part #	Model
22Z0092	Lexmark X950de

Part #	Paper Handling
22Z0014	C950, X95x 2520-Sheet Tandem Tray Module
22Z0013	C950, X95x 3x520-Sheet Drawer Stand
22Z0012	C950, X95x 520-Sheet Drawer Stand
22Z0015	C950, X95x 2000-Sheet High Capacity Feeder
22Z0175	C950, X95x 3500-Sheet Finisher (4-Hole)
22Z0176	C950, X95x Booklet Finisher (4-Hole)
22Z0205	C950, X95x Banner Media Tray

Part #	Memory Options
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM

Part #	Service Offerings
2354235P	X950 2-Years Total Onsite Service, Next Business Day
2354236P	X950 3-Years Total Onsite Service, Next Business Day
2354237P	X950 4-Years Total Onsite Service, Next Business Day
2354239P	X950 1-Year Onsite Service Renewal, Next Business

Part #	NC
2354242	X950 Installation Service

In the box
Lexmark X950de colour multifunction printer, Up to 11,000*-page colour (CMY) toner cartridges, Up to 16,000*-page black toner cartridge, Black, cyan, magenta,and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited guarantee, Lexmark Cartridge Collection Program information
*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard

Lexmark X952de

Part #	Model
22Z0093	Lexmark X952de

Part #	Paper Handling
22Z0014	C950, X95x 2520-Sheet Tandem Tray Module
22Z0013	C950, X95x 3x520-Sheet Drawer Stand
22Z0012	C950, X95x 520-Sheet Drawer Stand
22Z0015	C950, X95x 2000-Sheet High Capacity Feeder
22Z0175	C950, X95x 3500-Sheet Finisher (4-Hole)
22Z0176	C950, X95x Booklet Finisher (4-Hole)
22Z0205	C950, X95x Banner Media Tray

Part #	Memory Options
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM

Part #	Service Offerings
2354263P	X952 2-Years Total Onsite Service, Next Business Day
2354264P	X952 3-Years Total Onsite Service, Next Business Day
2354265P	X952 4-Years Total Onsite Service, Next Business Day
2354267P	X952 1-Year Onsite Service Renewal, Next Business

Part #	NC
2354270	X952 Installation Service

In the box
Lexmark X952de colour multifunction printer, Up to 11,000*-page colour (CMY) toner cartridges, Up to 16,000*-page black toner cartridge, Black, cyan, magenta,and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited guarantee, Lexmark Cartridge Collection Program information
*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard

Lexmark X954de

Part #	Model
22Z0094	Lexmark X954de

Part #	Paper Handling
22Z0014	C950, X95x 2520-Sheet Tandem Tray Module
22Z0013	C950, X95x 3x520-Sheet Drawer Stand
22Z0012	C950, X95x 520-Sheet Drawer Stand
22Z0015	C950, X95x 2000-Sheet High Capacity Feeder
22Z0175	C950, X95x 3500-Sheet Finisher (4-Hole)
22Z0176	C950, X95x Booklet Finisher (4-Hole)
22Z0205	C950, X95x Banner Media Tray

Part #	Service Offerings
2354291P	X954 2-Years Total Onsite Service, Next Business Day
2354292P	X954 3-Years Total Onsite Service, Next Business Day
2354293P	X954 4-Years Total Onsite Service, Next Business Day
2354295P	X954 1-Year Onsite Service Renewal, Next Business

Part #	NC
2354298	X954 Installation Service

In the box
Lexmark X954de colour multifunction printer, Up to 11,000*-page colour (CMY) toner cartridges, Up to 16,000*-page black toner cartridge, Black, cyan, magenta,and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited guarantee, Lexmark Cartridge Collection Program information
*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard

Lexmark X950dhe

Part #	Model
22Z0692	Lexmark X950dhe

Part #	Paper Handling
22Z0015	C950, X95x 2000-Sheet High Capacity Feeder
22Z0175	C950, X95x 3500-Sheet Finisher (4-Hole)
22Z0176	C950, X95x Booklet Finisher (4-Hole)
22Z0205	C950, X95x Banner Media Tray

Part #	Memory Options
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM

Part #	Service Offerings
2354235P	X950 2-Years Total Onsite Service, Next Business Day
2354236P	X950 3-Years Total Onsite Service, Next Business Day
2354237P	X950 4-Years Total Onsite Service, Next Business Day
2354239P	X950 1-Year Onsite Service Renewal, Next Business

Part #	NC
2354242	X950 Installation Service

In the box
Lexmark X950dhe colour multifunction printer, 2520-Sheet (A3/A4) Tandem Tray Module, Up to 11,000*-page colour (CMY) toner cartridges, Up to 16,000*-page black toner cartridge, Black, cyan, magenta,and yellow Imaging units, Software and Documentation CD, Power Cord(s), RJ-11 Phone cable or adapter (country dependent), Setup Guides (network and local attachment), Statement of limited warranty, Lexmark Cartridge Collection Program information
*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard

Lexmark X950 Series Product Specifications

	Lexmark X950de	Lexmark X952de	Lexmark X954de
Printing			
Print Technology	Colour LED		
Print Speed (A4, mono): Up to	45 ppm	50 ppm	55 ppm
Print Speed (A4, colour): Up to	40 ppm	45 ppm	50 ppm
Time to First Page (Black)	As fast as 5.5 seconds	As fast as 5.2 seconds	As fast as 5.0 seconds
Time to First Page (Colour)	as fast as 7.7 seconds	as fast as 7.7 seconds	as fast as 7.2 seconds
Print Resolution, Black	2400 Image Quality, 1200 x 1200 dpi		
Print Resolution, Colour	2400 Image Quality, 1200 x 1200 dpi		
Memory, standard	1024 MB	1024 MB	2048 MB
Memory, maximum	2048 MB		
Hard Disk	as standard		
Print Noise Level, Operating	52 dBA	52 dBA	53 dBA
Noise Level, Idle	24 dBA		
Maximum Monthly Duty Cycle: Up to	200000 pages per month	225000 pages per month	250000 pages per month
Recommended Monthly Page Volume	5000 - 33000 Pages		
Supplies			
Supplies Yield	32,000*-page Black Toner Cartridge, 22,000*-page Colour (CMY) Toner Cartridges, Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.		
Copying			
Copy Speed (A4, Black): Up to	45 cpm	50 cpm	55 cpm
Copy Speed (A4, Colour): Up to	40 cpm	45 cpm	50 cpm
Scanning			
ADF Scan	RADF (reversing Duplex)		
Optical Scanning Resolution	600 x 600 dpi		
Reduce / Enlarge Range	25 - 400%		
Faxing			
Modem Speed	33.6 Kbps		
Paper Handling			
Paper Handling Standard	520-Sheet Input Tray, 500-Sheet Output Bin, 100-Sheet Multipurpose Feeder, Integrated Duplex		
Paper Handling Optional	520-Sheet Drawer Stand, 2,520-Sheet Tandem Tray Module, Booklet Finisher, 3,500-Sheet Finisher, Banner Media Tray, 2,000-Sheet High Capacity Feeder, 3 x 520-Sheet		
Paper Input Capacity, Standard: Up to	620 pages 75 gsm bond		
Paper Input Capacity, Maximum: Up to	5140 pages 75 gsm bond		
ADF Paper Input Capacity: Up to	110 pages 75 gsm bond		
Media Types Supported	Refer to the Card Stock & Label Guide, Transparencies, Labels, Envelopes, Card Stock, Glossy paper, Plain Paper		
General			
Function	Colour Network Scanning, Colour Scanning, Colour Printing, Colour Faxing, Colour Copying		
Product Guarantee	1-Year Onsite Service, Next Business Day		
Product Certifications	www.lexmark.co.uk		
Size (mm - H x W x D)	762 x 640 x 685 mm		
Weight (kg)	116.0 kg		
Specified Operating Environment	Humidity: 15 to 85% Relative Humidity, Temperature: 10 to 32°C (50 to 90°F), Altitude: 0 - 2500 Meters (8,200 Feet)	Humidity: 15 to 85% Relative Humidity, Altitude: 0 - 2300 Meters (7,545 Feet), Temperature: 10 to 32°C (50 to 90°F)	Humidity: 15 to 85% Relative Humidity, Temperature: 10 to 32°C (50 to 90°F), Altitude: 0 - 2500 Meters (8,200 Feet)

Recommended Monthly Page Volume
«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Maximum Monthly Duty Cycle
«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Footnotes
1. Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.
2. Average continuous black or continuous composite CMY declared cartridge yield in accordance with ISO/IEC 19798.
3. Change Language is an option during installation.
4. Illustration shows enlarged description of touch screen.

Trademarks
AirPrint and the AirPrint logo are trademarks of Apple Inc. PANTONE® is a registered trademark of Pantone, Inc. ENERGY STAR® is a U.S. registered mark. Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. Information in this document is subject to change without notice. This product features Adobe® Flash® technology. For further information, visit http://www.adobe.com/software/flash/about/

Print Less. Save More.

www.lexmark.co.uk